

CDV-70N2



The Ultra Monitor is a 7" hand-set type product that includes all that is essential for a monitor. Users will find it to be highly efficient as the device has incorporated the most fundamental and essential functions with its

FINE COMMUNICATION

7" color monitor that applied vivid FINE VIEW technology and outstanding audio quality with hand set.

INTERCOMMUNICATION

Up to 2 monitors and interphones each are expandable per household, providing intercommunication function.

DOOR ENTRY

It creates a safer and more convenient living environment with entrance front door release control function.

FUNCTION


- Handset type design
- Video talk and door lock release enable
- Support 2 monitors, 1 cameras and 2 Interphones(CDV-70N)
- Support 2 monitors, 2 cameras and 2 Interphones(CDV-70N2)
- Memory storing in SD memory (SD Card is not included CDV-70NM)

SPECIFICATION


Power source	AC 100-240V, 50/60Hz	Mount type	7 inch TFT LCD
Operating temp.	Wall-mounted type	Wiring	Door camera : 4 wires Interphone : 4 wires
Distance	Door camera : 50m(0.65Ø) Interphone : 30m(0.65Ø)	Consumption	Max. 16W/standby 3W
Dimension(mm)	230(W)x180(H)x28(D)		

WIRING DIAGRAM

CDV-70N
CDV-70NM



CDV-70N2



DRC-40K



FUNCTION

- Illuminance sensor
- Wall-mounted type
- Built-in white LED
- Out door model
- House call and talk

SPECIFICATION

Power source	12V(From monitor)	Operating temp.	-10°C~50°C
Wiring	4 wires	Camera view angle	Horizontal 75°/ Vertical 55°
Distance	50m (Ø0.65)	Dimension(mm)	96(W)×155(H)×32(D)